

Claiborne group

89-T- 5

(Gonzales County)

About 300 yards north of Cost on  
the Monthalia road (Loc.13, Weinzierl  
& Appling, J.Pal., vol.3, p.387, 1929).

Type locality for--

Quinqueloculina yeguaensis Weinzierl & Appling (Jour.Pal., vol.3,  
p.393, 1929)

Claiborne group  
Stone City fm.

"About one-half miles (should be  $\frac{1}{4}$ )  
north of Cost on Monthalia road "  
(Loc.18, Weinzierl & Applin, Jour.  
Pal., vol.3, p.388, 1929).

89-T-6  
(Gonzales County)

Type locality for--

✓ Anomalina costiana Weinzierl & Applin (Jour.Pal., vol.3, p.409, 1929)

Claiborne group

89-T-7

"Applin & Reed locality 28, north  
of Nixon, Gonzales County" (Loc.16,  
Weinzierl & Applin, Jour. Pal., vol.3,  
p.388, 1929.)

(Gonzales County)

Type locality for--

Discorbis yeguaensis Weinzierl & Applin (Jour.Pal., vol.3,  
p.405, 1929)

✗ Lamarckina marylandica var. yeguaensis Cushman (Contribs.,  
vol. 2, p.10, no fig., 1926; vol.2, pl.4, fig.1, 1926.

Jackson gr.

89-T-8

(Gonzales County)

Dubois ranch, on Sandies Creek, east of  
Sample.

Type locality for--

7-5, 3) x Nonion laevis var. marginatum Cushman & Ellisor (C.C., vol. 7, p. 52)