

Jackson gr.

101-T-
(Harris County)

Oats no.1, Humble Oil and Rfg. Co.,
core at 4468-4477', Humble field.

Type locality for--

61, '32 X Massalina humblei Cushman & Ellisor (C.C., vol.8, p.40)

Oligocene
Anahuac fm.

Tabb No.10, Humble Oil & Refining
Co, Goose Creek field.

101-T-
(Harris County)

Type locality for--

× Core, 4416', Elphidium discoidale var. multiloculum Cushman & Ellisor,
J. P., vol.19, p.561, pl.75, fig.9, 1945. (Het. zone)

Jackson gr.

Fell no.46, Texas Company, core at
4395-4402', Humble field.

101-T-
(Harris County)

Type locality for--

6-4, 32

x Tubulogenerina eocenica Cushman & Ellisor (C.C., vol.8, p.42)

Jackson group

Warren no.4, Texas Exploration Company;
core, 4250 feet, at Hockley. (Cushman
and Applin, Bull.AAPG, vol.10, p.171,
1926)

101-T
(Harris County)

Type locality for--

8-1,2 x Cristellaria articulata var texana Cushman & Applin (Bull. AAPG,
vol.10, p.170, 1926)

Claiborne group

John Deering-Bissonett no.2, near
Humble, Harris County; core at
4015' (Loc.2, Weinzierl & Applin,
J.Pal., vol.3, p.387, 1929).

101-T-
(Harris County)

Type locality for--

Textularia claibornensis Weinzierl & Applin (J. Pal., vol.3, p.392, '29)
Eponides guayabalensis var. yeguaensis Weinzierl & Applin (Jour. Pal.,
vol.3, p.406, 1929)

Oligocene
Heterostegina zone

Humble Oil & Rfg. Co., Woodburn no.1,
core at 5630-52', Genoa, Harris County.

101-T-
(Harris County)

Type locality for --

8 — 16-18

X Spiroloculina jucunda Cushman and Ellisor (C.C., vol.20, p.51, 1944)

Oligocene
Vicksburg gr.

101-T-
(Harris County)

Sims Smith no.73, Humble Oil and Refining
Co.; core at 5795-5801'

Type locality for:

7-2, 31 x Textularia warreni Cushman & Ellisor (C.C., vol.7, p.51)

Oligocene
Vicksburg gr

Sims Smith no.73, Humble Oil and
Rfg. Co.; core at 6174', Goose
Creek field.

101-T-
(Harris County)

Type locality for:

- 7-7, 31
- x Uvigerina vicksburgensis Cushman & Ellisor (C.C., vol.7, p.54)
 - x Eponides vicksburgensis Cushman & Ellisor (C.C., vol.7, p.56)
- 7-8